

**ZIPWALL®**

**ZIPWALL®**

**DUST BARRIER SYSTEM**

**Do it  
right.**

***Start every job with ZipWall®.***

**zipwall.eu - master distributor: dust2air.com**

# ZipWall<sup>®</sup> Dust Barrier System

- ***Quick & easy***
- ***Minimizes disruption***
- ***Maximizes client satisfaction***
- ***Presents a professional image***
- ***Saves time & money***

***Supports compliance with safety regulations for dust protection***

**ZipWall® – The only complete dust barrier system.** Spring-loaded poles create a dust barrier up to 6,1m high using polythene sheeting or ZipFast™ reusable panels. Entryways to the barrier are easy to add with ZipWall® zippers or the new Magnetic Door. Tightly sealing all sides of the barrier takes seconds with FoamRail™ tapeless seals. The ZipWall® system, complete with specialty items and ready-to-use kits, provides professional contractors quick & easy dust protection solutions.

**Set up a dust barrier in minutes**  
**— no ladders, no tape, no damage!**

SPRING-LOADED POLES



ZIPPERS & DOORS



FOAMRAIL™ TAPELESS SEALS



**Start every job with ZipWall®.**

- Remodeling
- Renovations
- Drywall
- Painting & Sanding
- Floor Finishing
- Restoration
- Remediation
- Abatement
- Demolition
- Concrete Cutting
- Safety Compliance
- Shielding en Contamination



FEATURED PRODUCTS



Magnetic Door



Reusable Barrier Material



Sticky Mat



Magnetic Strips



**Use the ZipWall®  
Dust Barrier  
System anywhere!**

- Healthcare
- Hospitality & Retail
- Manufacturing
- Government
- Education
- Transportation
- Property management
- Residential



**Save  
time & money.  
Improve  
safety!**

*Polythene sheeting not included.*

### ZIPPOLE® SPRING-LOADED POLES

## ZipWall® 10

### **Great for residential jobs**

Set up a tight dust barrier up to 3m high in just a few minutes with ZipWall® 10 spring-loaded, twist-locking poles.

- **Strong and lightweight stainless steel construction**
- **Telescope up to 3m high** (from 127cm)
- **Innovative non-skid, non-marking head and plate**

**No ladders, no tape, no damage**



**ZipWall® 10 4-Pack** *The perfect starter kit!*



**ZipWall® 10 2-Pack**

Patented

Use with polythene sheeting or ZipFast™ reusable barrier panels.



**Save  
time & money.  
Improve  
safety!**

*ZipFast™ reusable barrier panels and polythene sheeting not included.*

### ZIPPOLE® SPRING-LOADED POLES

## ZipWall® 12

***Ideal for both commercial and residential jobs***

Set up a tight dust barrier up to 3,6m high in just a few minutes with ZipWall® 12 spring-loaded, twist-locking poles.

- **Strong and lightweight anodized aluminium construction**
- **Telescope up to 3,6m high** (from 140cm)
- **Innovative non-skid, non-marking head and plate**

***No ladders, no tape, no damage***



**ZipWall® 12 4-Pack *The perfect starter kit!***



**ZipWall® 12 2-Pack**



**ZipWall® 12 6-Pack**

Patented

Use with polythene sheeting or ZipFast™ reusable barrier panels.

Reach high ceilings  
without a scissor lift  
or scaffolding!

Save  
time & money.  
Improve  
safety!



Polythene sheeting not included.

### ZIPPOLE® SPRING-LOADED POLES

## ZipWall® 20

**Indispensable for high ceilings  
- great for smaller jobs too**

Set up a tight dust barrier up to 6,1m high in just a few minutes with the versatile ZipWall® 20 spring-loaded, twist-locking poles. Perfect for standard-height ceilings as well.

- **Strong and lightweight anodized aluminium construction**
- **Telescope up to 6,1m high** (from 158cm)
- **Innovative non-skid, non-marking head and plate**

**No ladders, no tape, no damage**



ZipWall® 20 2-Pack

Patented

Use with polythene sheeting or ZipFast™ reusable barrier panels.



Zip panels together to fit the width of the job!



REUSABLE BARRIER PANELS

## ZipFast™ Reusable Barrier Panels

**A green alternative to polythene sheeting**

Durable and reusable, ZipFast™ panels zip together to quickly build a dust barrier as wide as needed.

- High-tech fabric with built-in heavy-duty zippers
- Ready to use – no measuring or cutting
- Present a professional image
- Provide privacy on both sides of the barrier

**No ladders, no tape, no damage**

Patented



For use with ZipWall® poles and accessories (sold separately).

Multi-Packs include three 152cm×3,6m panels, one 76cm×3,6m panel, and a ZipWall® carry bag.

Panels available as singles: 3m×3,6m, 152cm×3,6m, and 76cm×3,6m.



TAPELESS SEAL RAILS & WALL MOUNTS

## FoamRail™ Tapeless Seals

**Create a tight seal without tape in seconds**

Innovative rails mount onto ZipWall® spring-loaded poles to form a tight seal against the ceiling, floor, and walls.

- Reusable and cost-effective
- Can be used with negative or positive air
- For use instead of tape where tight sealing is required

**No ladders, no tape, no damage**

**NEW! FoamRail Span™ Adjustable Tapeless Seal**  
Extends from 130cm to 243cm



**NEW! FoamRail Span™ Mini Adjustable Tapeless Seal**  
Extends from 69cm to 122cm



**NEW! SideBridge™ Wall Mount**



**Floor Adaptor for ZipWall® 10/12/20**



SDPK

**SidePack™ Wall Mount Kit**



Patented

**Easily handles  
high traffic!**



**Magnetic strips snap  
together to form a  
tight seal.**

**NEW!**

ZIPPERS & DOORS

## ZipWall® Magnetic Dust Barrier Door Kit

**Self-closing hands-free access  
to the job site**

Quick and easy to install. Powerful self-closing action maintains a tight seal. Durable and reusable.

- **Adjustable header bar for ease of installation**
- **Specially designed magnetic strips create a continuous seal around the door**
- **High-tech fabric panel features a clear plastic window**
- **Self-closing magnets are sewn-in**
- **Can be used with positive or negative air**

**No ladders, no tape, no damage**

Patented



**Flame  
Retardant**


**Flame Retardant**

(in accordance with Chapter 8 of  
the International Building Code)

Door panel dimensions: 218cm x 139cm

Works with all ZipWall® spring-loaded poles. Poles not included.

For ZipFast™ or polythene sheeting barriers.



**NEW!**

*Polythene sheeting not included.*

**SPECIALTY ITEMS**

## MagStrip™ Dust Barrier Fastener

***Keep your barrier tight against a suspended ceiling between poles***

Attach magnetic strips to the steel grid using a ZipWall® pole and the specially designed applicator.

- **Fast to set up and remove**
- **Magnetic strips snap onto the metal grid**
- **Applicator works with any ZipWall® pole** *Pole not included.*
- **Reusable and professional**

***No ladders, no tape, no damage***

*Patented*



MS4

*Unit includes four 66cm magnetic strips and one applicator.*





ZDS

**ZipDoor® Standard Door Kit**  
For standard doors up to 91cm x 213cm.



ZDC

**ZipDoor® Commercial Door Kit**  
For commercial doors up to 121cm x 243cm.  
**Flame Retardant** (in accordance with Chapter 8 of the International Building Code)

### ZIPPERS & DOORS

## ZipDoor® Kits

**Seal any doorway in just a minute**

Quickly cover a doorway to provide an airtight seal with zippers for easy entry and exit.

- **Airtight, heavy-duty zippers are preinstalled**
- **ZipWall® double-sided tape securely holds ZipDoor® while protecting the doorframe surface**
- **Flap hooks hold door open for easy access**
- **Save hours on jobs with numerous doors**



**Quick & easy to install!**



Patented



**Patented ZipperKnife™ sheeting cutter prevents zipper jams!**



### ZIPPERS & DOORS

## ZipWall® Heavy-Duty Zippers

**Quickly create an entryway in a polythene barrier wherever you need it**

Durable self-adhesive zippers attach to polythene sheeting and specially designed ZipperKnife™ double-cuts the polythene to prevent jams.

- **7,6 cm-wide heavy-duty zippers withstand high traffic**
- **Flap hooks hold entryway open for easy access**

**No jams, easy access**




HDAZ2

**ZipWall® Heavy-Duty Zipper 2-Pack**



Patented



ZWTM

### ZipWall® Mat Starter Kit

Each unit includes one base with one 30-sheet tacky/sticky pad (base: 64 cm x 94 cm; mat: 61 cm x 91 cm).



ZWTMR

### ZipWall® Mat Refill

Each unit includes four 30-sheet refill pads (63 cm x 93 cm; fits ZipWall® Mat base).

#### SPECIALTY ITEMS

## ZipWall® Mat

**Prevent tracking dust out of the work area**


Adhesive surface captures dust on contact.

- Reusable base with non-skid vinyl backing
- Starter kit includes one adhesive pad preinstalled
- Clear disposable adhesive sheets are individually tabbed and numbered – simply peel away the top sheet to expose a new surface
- Large adhesive surface removes dust from shoes, casters, and wheels



**Supports lead-safe work practices.**

Patented



**Patented clamp  
mounts onto any  
ZipWall pole.**

**NEW!**

*Poles, plastic sheeting, and hose not included*

### SPECIALTY ITEMS

## ZipWall® Dust Barrier PassThrough™

***Easily and quickly pass a duct hose through a ZipWall® barrier.***

Resealable opening for passing a duct hose up to 35 cm in diameter through a ZipWall® barrier. Perfect for setting up negative air pressure on the job site.

- **Quick & easy to install**
- **Supports the weight of any duct hose while maintaining the integrity of the barrier**
- **Ideal for remodeling, demolition, drywall, restoration, remediation, and any jobsite in a sensitive environment like healthcare**
- **Works with all ZipWall® spring-loaded poles**
- **Reusable, neat and professional**


***No ladders, no tape, no damage***

*Patent pending*



*Opening diameter: 35 cm*

ZPT



**Secures the barrier  
without lifting the grid!**

### SPECIALTY ITEMS

## Edge™ Head & Non-Skid Plate

### ***Ingenious solution for suspended ceilings***

The specially designed head & plate holds a barrier where a suspended ceiling meets the wall without lifting the grid.


- **Uses the wall angle to secure the barrier without bending or lifting the ceiling**
- **Fits all ZipWall® spring-loaded poles**

*Note: For use on the first and last poles only. Use standard head & plates for all other poles.*



Patented

### TAPELESS SEAL ACCESSORIES



### SideBridge™ Wall Mount

**Tightly seal a barrier along a wall in seconds**

Snaps onto a FoamRail Span™ and holds it against the ZipWall® pole closest to the wall to form a tight seal.

- **Seals up to 8' along the wall with one FoamRail Span™**
- **Comes in two sizes – standard size for most jobs and a long size for walls with obstacles such as baseboard radiators or crown moldings**
- **Works best with ZipWall® 12 and ZipWall® 20 poles**



SBR4



SC2

*Each unit contains two standard and two long wall mounts.*

*Patent pending*



### ZipWall® Floor Adaptors

**Seal a dust barrier at the floor in seconds**

New ZipWall® floor adaptors are better than ever – lock into the bottom of any ZipWall® pole with just a twist.

- **Adapt any ZipWall® pole to simultaneously seal at the ceiling and the floor**
- **Available in three sizes to fit ZipWall® 10', 12', and 20' poles**



*Patent pending*

For product warranty information visit [zipwall.com/warranty](https://zipwall.com/warranty).

Flame retardant products are **Class A flame retardant** in accordance with Chapter 8 of the International Building Code.

ZipWall®, ZipPole®, and ZipDoor® are registered trademarks of ZipWall LLC, Arlington, MA. Edge®, FoamRail®, FoamRail Span®, GripDisk®, Kit20®, MagStrip®, SideBridge®, SideClamp®, SidePack®, Slide®, SLP®, T-Clip®, ZipDoor®, ZipFast®, ZipFast Hatch®, ZipHook®, and ZipperKnife® are trademarks of ZipWall, LLC, Arlington, MA.

Copyright © 1996 – 2019 all rights reserved.

[zipwall.com/patents](https://zipwall.com/patents)

**Master Distributer**

**Dust2Air B.V.**

Kennedyplein 200  
5611 ZT Eindhoven  
Netherlands  
T. +31 40 7985520  
E. [info@dust2air.com](mailto:info@dust2air.com)

**Your Dealer:**

